SUNRAY DX OIL. Co.

Sunray DX Oil Company

P. O. Box 298

Terre Haute, Indiana



Eastern Division

April 27, 1964

Mr. John T. Stapleton, Civil Engineer 1309 East 2nd Street Bloomington, Indiana

> Re: Survey

> > Service Station Site

NE/c (17th Street) S.R. 46

and Kinser Pike Bloomington, Indiana Monroe County, Indiana

Dear Mr. Stapleton:

Will you please make a survey of the following described property according to the sample survey, which is attached. Please forward to me the original tracing and three copies together with your invoice, in duplicate.

"Lots #17 and #18 in Northcrest Addition to the City of Bloomington, Monroe County, Indiana."

If you cannot do this work within seven days after the receipt of this letter, please notify me as it is most important that we have this in our office immediately.

Yours very truly,

Construction Coordinator

JDB/mab Att.

cc - Mr. C. A. Schukai Mr. R. E. Fitzpatrick

Mr. W. R. Sanders



SCALE - SEE NOTES

		į												
105.4	(.P.) 105.			PROPE	ERT	Y LINE	120:0	,"		RON 103.0) 102.4	102.0	
•	20	2	0,5.	.20	104	3 /03. 20'	8	103.3		20'	M	7	WOOD	POLE
	900	1			·				, , , , , , , , , , , , , , , , , , , 	900	$\ \cdot\ $			4.4
		0			•	•		.	ľ; X	``	l .]	· · . ·		li.
105.0		105.0	ļ	104.5		103.9	103.4	• • •	103.0	102.6		102.2	101.7	
	0				777		1111	7777	V				· ·	
	10	. 0				RY STONE		se //	3,2	0:0"	36	10-0	4	, X
104.2	0					FL. EL.	06.7	- 1						V 3
104.2	9	104.0	1.	BI	93 <u>6</u> .	MENT EL.	98.5		\$	1029	-	101.8	101.3	8 8
	32"	ELM	D F	(////	24/		<i>[[]]</i>		19		i. r			7 %
• .				PORC					l	• •	II.			Ś
103.7		D 4	103.	· · E	عمر ا	7 102.	, '	1021	6	1018		101.4	100.9	
	East of	* V		1	1		ļ.,	· .	18		13			20
,		ه اسم		. 7	٠.	1	11252	A"CE	DAR			1		8 6
	ď	, ,		3		, 6	P() .		ļ.;,		į۷	: -		V.,
103.1.	10	 	102.	<u> </u>	102.2	l		101.6	\$	191.4		101.1	1007	8
	<u></u>	MAI	V_{-1}	TRAL	7-	MILDING	WE	<u> </u>	X	سنز .			: ·	
	900	0	اور					. • •	E)	90°				
	(P.p.		श	- 1	.		`. `	, .	- [:	· · · · ·	•			ا مناهد
102.6		2.3	100	02.0		1018 - 1	01.5) c	12.	1010	17	100.8	100.4	HYDRANT
****		سے:	<u>></u> 2			CWALKZ		~ By	<u> </u>	<u> </u>	4	-		
	12" E	The state of	اکدہ			- 12"	ELMS	305	1	To the second	1:11		TPAFEL	LIGHT
	101.5	101.9	<u> </u>	101.6	· · · ·	101.3	1012	u	0.2	- Jimi	H	\sim		
•••	100.5			,,						B.M.			FROM C	ORNAX. SETT CORNER PRO
		• •		NAIN	· . 5	TREET			CA	TCH E	3.93	י ענו	OPENIN	OR CURB

NOTES.

50' CURB TO CURB - CONCRETE

1. GIVE BEARING OF PROPERTY LINES IF

AVAILABLE.

2. SURVEYOR SHALL SET PERMANENT CORNER STAKES AND TO FURNISH ALL INFORMATION AS SHOWN ON THE ABOVE SAMPLE SURVEY.

3. ELEVATIONS SHALL BE GIVEN AT 2010" INTERVALS EACH DIRECTION OF APOPERTY.

4. ALL TREES, BUILDINGS, & OTHER OBSTRUCTIONS ... SHALL BE LOCATED BY DIMENSIONS.

5. GIVE MINIMUM & MAXIMUM CURB OPENINGS.
ALLOWED BY CITY OR STATE CODE.

6. LOCATE ALL UTILITIES, GAS, WATER, ELEC, SANITARY & STORM SEWER.

T. SURVEY SHOULD BE AT 1"=20'0" SCALE OR LARGER.

l .		<u></u>				
DATE	REVISION	DRAWN TOOMEY DATE 10/17/52 SCALE 1'- 30-0"	MID-CONTINENT ENGINEERING DEPT.	PETROLEUM CORP.		
		APPROVED	SAMPLE	SURVEY		
STATI	ON NO.			GA-185		

Sunray DX Oil Company

P. O. Box 298

Terre Haute, Indiana



Eastern Division

July 2, 1964

Mr. John T. Stapleton 1309 East 2nd Street Bloomington, Indiana

Re: Survey-Station Site
State Route 46 (17th St.)
and Kinser Pike
Bloomington, Indiana

Dear Mr. Stapleton:

With reference to my letter of June 8th whereby I asked you to verify the right-of-way width on State Highway 46, please advise if you have any additional information.

Yours very truly,

JDB/mab

J. D. Bunn

Construction Coordinator



